

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

75
LIBRARY
Washington D. C.

The Blue Hill Nurseries

111
SOUTH BRAINTREE, MASS., U. S. A.

PRICE LIST

—OF—

Hardy Herbaceous Perennials

—AND—


ALPINE PLANTS

GROWN BY

JULIUS HEURLIN

Graduate Horticulturist and Landscape Gardener

LONG DISTANCE TELEPHONE



NOTES.

All offers are made subject to stock being unsold.

Five and fifty at ten and hundred rate respectively, and where price per 1,000 is given, 250 will be furnished at this rate.

A charge for packing will be made, sufficient to remunerate for the cost of material and labor.

All plants listed are at least one year old and grown in the open field.

Considering where my nursery is located, on the southeast slope of the Blue Hills, the bleakest, most exposed, and according to the U. S. weather bureau, windiest section east of the Rocky Mountains, is it not reasonable to assume that any plant raised and grown here will succeed under conditions a little less trying?

Braintree is on the N. Y., N. H. & H. R. R., ten miles south of Boston, with more than 60 trains a day in either direction.

1903 -

Some left of this years list.

PRICE LIST

— OF —

Hardy Herbaceous Perennials

— AND —

ALPINE PLANTS.

| | Prices for 10. | Prices for 100. |
|---|-------------------|--------------------|
| Achillea. Yarrow or Milfoil. | | |
| Var.: filipendulina, millifolium roseum, Mongolica, | | |
| ptarmica The Pearl | \$.70 | \$ 6.00 |
| Var.: tomentosa and Ægyptica | 1.00 | 8.00 |
| Aconitum. Monks Hood | 1.20 | 10.00 |
| Var.: Autumnale, lycotonum, Napellus and uncinatum. | | |
| Acorus calamus vgt. Variegated Flag | 1.20 | |
| Adonis vernalis. Pheasants Eye | 1.20 | |
| Agrostemma. See Lychnis. | | |
| Ajuga reptans. Bugle | .70 | 5.00 |
| Althæa rosea. Hollyhock | .70 | |
| Alyssum. Madwort | 1.00 | 7.00 |
| Var.: saxatile compactum (Gold Dust), rostratum and argenteum. | | |
| Amorpha canescens | 1.20 | 8.00 |
| Amsonia tabernamontana | 1.20 | 8.00 |
| Anchusa Italica. Alkanet | .80 | 7.00 |
| Anemona. Windflower. | | |
| Var.: Japonica, Whirlwind | 1.20 | 8.00 |
| Var.: sylvestris, Canadensis (<i>Pennsylvanica</i>) | .70 | 5.00 |
| Anthemis tinctoria. Golden Marguerite. (in var.) | .70 | 6.00 |
| Aquilegia. Columbine. | | |
| Var.: alpina, chrysantha, Canadensis, glandulosa and vulgaris | 1.00 | 7.00 |
| Var.: cærulea, chrysantha alba, glandulosa, jucunda, nivea grfl. (Munsted white) | 1.50 | |

| | Prices for 10. | Prices for 100. |
|--|-------------------|--------------------|
| Arabis albidā. Rock-cress | \$1 00 | \$7.00 |
| Arenaria verna. Sand-wort | 1.00 | 7.00 |
| Var.: <i>cæspitosa</i> | 1.00 | |
| Armeria. (Thrift) <i>latifolia</i> , (<i>cephalotes</i>) | 1.20 | |
| Armeria. <i>maritima</i> Laucheana | .70 | 6.00 |
| Artemisia abrotanum. Southern-wood | .70 | 6.00 |
| Var.: <i>absinthium</i> (Worm-wood), <i>stellariana</i> (Old Woman) <i>pontica</i> (Old Man). | | |
| Var.: <i>dracunculus</i> (Tarragon) | 1.50 | |
| Aruncus astilboides. (<i>Spiraea aruneus</i>) Goat's Beard | .80 | 6.00 |
| Asarum Canadense. Wild Ginger | .60 | |
| Asclepias tuberosa. Butterfly-weed | .80 | 6.00 |
| Asperula odorata. Sweet Woodruff | 1.00 | 8.00 |
| Aster. Michaelmas Daisy. | | |
| Var.: <i>alpinus</i> , <i>Chapmanii</i> , <i>longifolia formosa</i> and <i>formosissima</i> , <i>Novæ-Anglia</i> , <i>puniceus</i> , <i>lavis</i> , <i>spectabilis</i> , <i>Herveyii</i> , <i>versicolor</i> , <i>Novæ-Belgii</i> , <i>Robert Parker</i> and <i>Lady Trevellyn</i> | .70 | 5.00 |
| Var.: <i>amethystina</i> , <i>alpinus speciosus</i> , <i>Novæ-Anglia rosea</i> and <i>alba</i> , <i>Maackii</i> , <i>Nova-Belgii Madonna</i> , <i>patens</i> , (<i>pink form</i>), <i>bicolor</i> , <i>puniceus compactus</i> , <i>Townshendii</i> , <i>turbinellus</i> and <i>ptarmicoides</i> | 1.00 | 8.00 |
| Astilbe Chinensis | 1.00 | 8.00 |
| Astilbe Japonica | .70 | 6.00 |
| Baptisia Australis. False Indigo | .80 | 7.00 |
| Bocconia cordata. Plume Poppy. | .80 | 7.00 |
| Boltonia. (False Chamomile), <i>asteroides</i> (<i>glastifolia</i>) and <i>latisquama</i> | .70 | 5.00 |
| Calimeris incisa | 1.00 | 8.00 |
| Callirhoë involucrata. Poppy Mallow | .80 | 7.00 |
| Campanula. Bellflower. | | |
| Var.: <i>Carpatica</i> and <i>alba</i> , <i>glomerata</i> <i>Dahurica</i> , <i>nobilis</i> , <i>persicifolia alba</i> and <i>macrantha</i> , <i>rotundifolia</i> and <i>Trachelium</i> | 1.00 | 8.00 |
| Var.: <i>persicifolia</i> grfl. and <i>van Houtteii</i> | 2.00 | |
| Cassia Marilandica. Wild Senna | .80 | 7.00 |
| Catananche cærulea. Everlasting | 1.00 | 8.00 |
| Cedronella cana. Balm of Gilead | 1.20 | 10.00 |

| | Prices for 10. | Prices for 100. |
|---|-------------------|--------------------|
| Centaurea. Corn-flower. | | |
| Var.: <i>Babylonica</i> and <i>dealbata</i> (<i>declinata</i>) | \$2.00 | |
| Var.: <i>Montana</i> and <i>rosea</i> , <i>nigra</i> and <i>nigra</i> vgta. | 1.00 | \$8.00 |
| Centranthus ruber. Jupiter's Beard | 1.50 | |
| Cephalarica Tatarica | 1.00 | 8.00 |
| Cerastium tomentosum. Mouse-ear Chickweed | 1.00 | 8.00 |
| Ceratostigma plumbaginoides. Leadwort, (<i>Plumbago</i> <i>Larpentæ</i>) | 1.00 | 8.00 |
| Chelone Lyoni. Turtle Head | 1.20 | 10.00 |
| Chrysanthemum coccineum. Pyrethrum roseum | 1.00 | 7.00 |
| Chrysanthemum uliginosum. Pyrethrum uliginosum \$40.00 per M. | .70 | 5.00 |
| Chrysanthemum maximum. | 1.00 | 6.00 |
| Chrysanthemum Early Hardy Pompons | 1.30 | 10.00 |
| Var.: <i>Precosité</i> , <i>Golden Fleece</i> , <i>Canary (yellow)</i> , <i>Fêlecité</i> (orange turning to yellow), <i>Petit Mignon</i> (pink and brown), <i>Toreador</i> (dark bronze), <i>Chromatella</i> (terra- cotta), <i>Blushing Bride</i> (pink). | | |
| Cimicifuga racemosa. Black Snake-root | 1.00 | 8.00 |
| Clematis Davidiana and recta | 1.00 | 8.00 |
| Conoclinium cælestinum. Mist Flower | 1.00 | 8.00 |
| Convallaria majalis. Lily of the Valley | .60 | 5.00 |
| Coreopsis lanceolata and verticillata | .80 | 6.00 |
| Coreopsis grandiflora, tripteris and delphinifolia | 1.00 | 8.00 |
| Coronilla varia. Crown-Vetch | 1.00 | 8.00 |
| Coronilla scoparioides. (<i>Cappadocica</i> ?) | 1.50 | |
| Cytisus capitatus. Broom | 1.50 | 12.00 |
| Daphne cneorum. Garland Flower | 2.50 | 20.00 |
| Delphinium Cashmerianum and formosum | 1.20 | 10.00 |
| Var.: <i>Grfl.</i> and <i>alba</i> (<i>Chinensis</i>), <i>hybridum</i> (<i>Kelways'</i> and <i>Lemoins'</i> strain) | .80 | 6.00 |
| Var.: <i>Barlowi</i> | 2.00 | |
| Desmodium. (<i>See Lespedeza.</i>) | | |
| Dianthus barbatus. Sweet William | .80 | 6.00 |
| Var.: <i>deltoide</i> <i>superbus</i> and <i>plumarius</i> | .80 | 6.00 |
| Var.: <i>plumarius</i> (<i>Scotch Pink</i>), <i>cyclops</i> , <i>semperflorens</i> and <i>New Mound</i> | 1.00 | 8.00 |
| Var.: <i>alpinus</i> | 1.30 | 10.00 |

| | Prices for 10. | Prices for 100. |
|--|-------------------|--------------------|
| Dicentra eximia (Ladies' Ear-drop) and Dicentra spectabilis . Bleeding Heart | \$1.00 | \$ 8.00 |
| Dicentra eximia multipinnata | 1.50 | 12.00 |
| Dictamnus albus . Var.: ruber (Gas Plant) | 1.20 | |
| Digitalis (Fox-glove), ambigua and purpurea | .80 | 6.00 |
| Digitalis laciniata . Large yellow, downey flowers | 1.50 | |
| Dodecatheon meadia . Shooting-star | 1.20 | |
| Dracocephalum (Dragon's Head), Ruyschianum | 1.20 | |
| Echinacea purpurea . Purple Cone-flower | 1.20 | 8.00 |
| Echinops (Globe Thistle) exaltatus and ritro | 1.20 | 8.00 |
| Epilobium angustifolium . Great Willow Herb | 1.20 | |
| Erianthus Ravennæ . Ravenna Grass | 1.00 | 7.00 |
| Erigeron (Flea-bane), macranthus , speciosus and speciosus purpureum | 1.00 | 7.00 |
| Eryngium (See Holly) alpinum and amæthystinum | 1.00 | 7.00 |
| Erysimum (Wall Flower) ruspestre (<i>pulchellum</i>) | 1.00 | 7.00 |
| Eulalia . (<i>See Miscanthus</i> .) | | |
| Eupatorium (Thoroughwort) ageratoides , aromaticum and melissoides (<i>Fraseri</i>) and purpureum | 1.00 | 7.00 |
| Euphorbia corollata . Flowering Spurge | .80 | 6.00 |
| Funkia (Plantain Lily) lancifolia , lancifolia marginata , Fortunei and ovata | 1.00 | 7.00 |
| Var.: subcordata grfl. (Corfu Lily) and ovata , var. Thomas Hogg | 1.50 | 12.00 |
| Gaillardia aristata grfl. Blanket Flower | 1.00 | 7.00 |
| Var.: J. Kelway | 1.20 | 8.00 |
| Galega officinalis and alba . Goat's Rue | 1.20 | 8.00 |
| Galium boreale and sylvatica . Bed-straw | 1.00 | 7.00 |
| Galtonia candicans . Summer Hyacinth | .50 | 3.00 |
| Gentiana Andrewsii . Closed Gentian | 1.00 | 7.00 |
| Geranium (Crane's Bill) Endressi , Ibericum and sanguineum | 1.00 | 8.00 |
| Var.: Armenum and collinum (<i>Londessii</i>) | 2.00 | |
| Geum (Avens), coccineum and atro purpureum pl. | 1.50 | |
| Gillenia stipulacea . Am. Ipecac | 1.20 | 8.00 |
| Globularia tricosantha . Globe Daisy | 1.50 | |
| Gypsophilla cutifolia . Chalk Plant | .80 | 7.00 |
| Gypsophilla paniculata . Baby's Breath | .80 | 7.00 |

| | Prices for 10. | Prices for 100. |
|---|-------------------|--------------------|
| Gypsophilla repens and Steveni | 1.00 | 8.00 |
| Helenium. Sneeze-wort | | |
| Var.: autumnale superbum, a. pumilum and striatum. | | |
| Hoopesii | 1.00 | 8.00 |
| Var.: Bolanderii | .80 | 6.00 |
| Helianthus (Sunflower), decapetalus, latiflorus | | |
| Maximiliani, mollis, orgyalis, rigidus, rigidus | | |
| Miss Mellish, multiflorus, m. fl. pl. and m. | | |
| Soleil d' Or | .80 | 7.00 |
| Heliopsis Pitcheriana. Ox-eye | .80 | 6.00 |
| Helonias bullata. Stud Pink | 1.20 | 8.00 |
| Hemerocallis (Day Lily) aurantiaca major | 2.50 | |
| Hemerocallis Thunbergii and Kwanso | 1.00 | 8.00 |
| Hemerocallis Dumortierii and flava | .80 | 7.00 |
| Hepatica (Liver-leaf), acutiloba and triloba | .80 | 7.00 |
| Heuchera sanguineum. Coral Bells | 1.20 | 10.00 |
| Hibiscus. (Wallow) Californicus | 2.00 | |
| Hibiscus militaris, moschuetos roseus and Crim- | | |
| son Eye | .80 | 6.00 |
| Hieracium aurantiacum. Hawk-weed | 1.00 | 8.00 |
| Hydrophyllum Canadense. Water-leaf | 1.00 | 8.00 |
| Iberis (candytuft) sempervirens | 1.00 | 8.00 |
| Iberis Gibraltarica | 1.50 | |
| Incarvillea Delavayi | 2.50 | |
| Inula ensifolia and glandulosa | 1.50 | |
| Iris. Fleur de Lis. | | |
| Dwarf Iris: pumila, p. aurea, p. alba, Cengialti and | | |
| cristata | .80 | 5.00 |
| Iris "Germanica:" Honorable. Pancrea, Augustina, | | |
| Princess of Wales, Germanica, Sampson, Queen of | | |
| Gypsies, Imogene Ware, Juliette, Pallida speciosa | | |
| and Mad. Chereau and Florentina | .80 | 5.00 |
| Mixed | .50 | 3.00 |
| Iris lavigata (<i>Kamperi, Japanese Iris</i>) in many varie- | | |
| ties, to name | 1.00 | 7.00 |
| Mixed, \$40.00 per M. | .70 | 5.00 |
| Iris Siberica and S. Orientalis, \$30.00 per M. | .70 | 5.00 |
| Iris aurea flavissima Bloudovii | 2.50 | |

150.12

| | Prices for 10. | Prices for 100. |
|--|-------------------|--------------------|
| Jasione perennis. Shepherd's Scabious | .80 | 6.00 |
| Kniphofia aloides nobilis. Red Hot Poker | 1.50 | 10.00 |
| Lathyrus latifolius and albus. Everblooming Pea | 1.20 | 8.00 |
| Lepachys pinnata | 1.00 | 7.00 |
| Lespedeza Sieboldi. (<i>Desmodium penduliflorum.</i>) | 1.50 | 12.00 |
| Lespedeza juncea sericea | 1.50 | 12.00 |
| Liatris (Blazing Star) elegans, scariosa, spicata and pyncnostachya. Kansas Gay Feather | 1.00 | 7.00 |
| Linum perenne. Flax | 1.00 | 7.00 |
| Lobelia cardinalis. Cardinal Flower | .80 | 7.00 |
| Lobelia syphelitica. Blue Lobelia | .80 | 7.00 |
| Lupinus perennis and polyphyllus | 1.00 | 8.00 |
| Lupinus poly. albus and bicolor and Nootkatensis | 1.30 | 10.00 |
| Lychnis Chalcedonica and alba. London Pride. | | |
| Lychnis corcnaria (<i>Agrostemma</i>) atropurpurea bi- color, Flos-jovis (Flower of Jupiter) and hy- brida Walkerii | .80 | 7.00 |
| Var.: dioica pl. (<i>diurna pl.</i>) | 1.50 | |
| Var.: alba pl. (<i>vespertina pl.</i>) and Haageana | 1.00 | 8.00 |
| Var.: viscaria pl. splendens (Ragged Robin). \$50.00 per M. | 1.00 | 8.00 |
| Var.: flos-cuculi plenissima (Cuckoo Flower) | 1.50 | |
| Lysimachia clethroides. Loose Strife | 1.00 | 7.00 |
| Lysimachia nummularia. Money-wort | .50 | 3.00 |
| Lythrum salicaria superba. Purple Loose-Strife | 1.00 | 6.00 |
| Malva alcea. Hollyhock Mallow | 1.50 | 10.00 |
| Mertensia pulmonariodes. (<i>Virginica</i>) Blue Bells | 1.00 | 7.00 |
| Miscanthus (<i>Eulalia</i>) Sinensis, variegatus, zebrinus and gracillimus | 1.00 | 7.00 |
| Monarda didyma coccinea and alba (Bee-balm) fistulosa and mollis (<i>Bergamot</i>) | .80 | 6.00 |
| Morina longifolia elegans. Whorl Flower | 2.00 | |
| Myosotis (Forget-me-not) dissitiflora | 1.00 | 7.00 |
| Myosotis palustris semperflorens | 1.00 | 7.00 |
| Ænothera. Evening primrose. | | |
| Var.: fruticosa major and fr. Youngii, glauca (<i>Fraseri</i>) Missouriensis, linearis (<i>riparia</i>) and speciosa | 1.00 | 7.00 |
| Opuntia Rafinesquii. Cactus | 1.00 | 7.00 |

| | Prices for 10. | Prices for 100. |
|--|-------------------|--------------------|
| Origanum vulgare. Wild Marjoram | .80 | 6.00 |
| Origanum creticum. Sweet Marjoram | .80 | 6.00 |
| Pachysandra terminalis and t. vgta. | 1.20 | 8.00 |
| Pæonia. Single flowering: | 2.00 | |
| Bridesmaid (white), 75c. each. | | |
| Brumalia (purple). | | |
| Diana (deep rose). | | |
| Hermes (rosy pink). | | |
| Oniverie (crimson), 75c. each. | | |
| Prince Alexander (cherry red). | | |
| Double flowering: | 2.00 | |
| Alonzo (crimson). | | |
| Brennus (light crimson, semi-double). | | |
| Cyclops (purple). | | |
| Cal. Cavaignac (delicate pink). | | |
| Edulus superba (rose). | | |
| Festiva maxima (white, carmine stripes) \$1.00 each. | | |
| Glorie de Chenonceaux (red, elegant). | | |
| Glorie Mundie (white, orange centre). | | |
| Grandiflora alba (white). | | |
| Hebe (white). | | |
| Jeanne d' Arc (rosy pink). | | |
| Ladas (rose). | | |
| Lady Carrington (pink). | | |
| La Brune (deep crimson, yellow centre). | | |
| Lamartine (red). | | |
| Magnifica (pink). | | |
| Marquis de Lory (white and primrose). | | |
| Prince P. Galitzin (pure white). | | |
| Princess Beatrice (pink, yellow centre). | | |
| Plutarch (light crimson). | | |
| Queen Victoria (rosy white). | | |
| Officinalis rubra pl. (red, early). | | |
| Officinalis rosea pl. (rose early). | | |
| Pæonia, mixed | 2.00 | 15.00 |
| Papaver Orientale. Oriental Poppy | 1.50 | |
| Var.: Parkmanni and Silver queen. . . . | 2.50 | |
| Papaver pilosum | 1.00 | 8.00 |

| | Prices for 10. | Prices for 100. |
|---|-------------------|--------------------|
| Penstemon (Beard Tongue). barbatus , Torreyii , confertus , lævigatus , ovatus | 1.00 | 6.00 |
| Var.: diffusus and grandiflorus | 1.20 | 8.00 |
| Phalaris arundinacea vgta. Ladies' Garter | 1.00 | 6.00 |
| Phlomis tuberosa . Jerusalem Sage | 1.00 | 7.00 |
| Phlox , dwarf varieties: amæna , Carolina and ovata , subulata and divaricata | 1.00 | 7.00 |
| Var.: sub. Model , compacta , The Bride and Nelsonii . \$40.00 per M. | .70 | 5.00 |
| Phlox glaberrima | | |
| Var.: suffruticosa , Circle , Comedie and Modesty | 1.00 | 7.00 |
| Var.: Miss Lingard | 1.50 | 10.00 |
| Phlox paniculata (<i>decussata</i>) Florence , Independence , Fiancé and Candeur (all white) | 1.50 | 10.00 |
| Var.: General Chancey , R. P. Struthers , Lothair , Fernand Cortez and Coquelicot (Bright Salmon) | 1.50 | |
| Var.: Ornament , Cross of Honor , Colibri , Saison Lierval , Astier Rehu and Huxley (variegated) | 1.20 | |
| Var.: Le Mahdi and Lord Raylieg (dark purple) | 1.50 | |
| Var.: Le Soleil , Lumineaux , Thibaide , Charles Darwin , Eclaireur , Norwood , Toreador and Erckman Chatrian (Large Red) | 1.50 | |
| Phlox pan. , mixed | 1.00 | 6.00 |
| Physostegia Virginiana and denticulata | .80 | 6.00 |
| Platycodon grfl. Chinese Bellflower | 1.00 | 7.00 |
| Platycodon grfl. Mariesi | 1.20 | |
| Plumbago Larpentæ. (<i>See Ceratostigma.</i>) | | |
| Polemonium (Jacob's Ladder) cæruleum and album , reptans and Himalayanum | 1.00 | 8.00 |
| Polygonatum multiflorum. Solomon's Seal | 1.20 | |
| Polygonum amplexicaule. Mountain Fleece. | 1.20 | |
| Primula officinalis. Polyanthus | 1.20 | |
| Ranunculus speciosa pl. Batchelor's Buttons | 1.30 | |
| Reseda lutea. Mignonette | 1.00 | 7.00 |
| Rudbeckia (Cone-flower) laciniata and fl. pl. (Golden Glow) speciosa and subtomentosa | .80 | 5.00 |
| Rudbeckia maxima | 1.50 | |
| Ruellia ciliosa | 1.00 | 7.00 |

| | Prices for 10. | Prices for 100. |
|--|-------------------|--------------------|
| Salvia (Sage) azurea grf., Greggii | 1.20 | |
| Salvia pratense. Meadow Sage | .80 | 5.00 |
| Sanguinaria Canadensis. Blood-root | .80 | 5.00 |
| Santolina incana. Lavender Cotton | .80 | |
| Saxifraga crassifolia. Rock-foil | 1.50 | |
| Scabiosa Caucasica | 1.20 | 8.00 |
| Scabiosa paposa, sylvatica and s. albiflora | 1.20 | 8.00 |
| Scutellaria lupulina alpina | .80 | 5.00 |
| Sedum (Stone-crop) acre, Aizoon, Ewersii, Maxi- mowickzii, maxima and m. vgta., stolonifera Sieboldii, spectabilis and sp. Braunii and telephioides | 1.20 | 8.00 |
| Sidalcea candida. Indian Mallow | 1.20 | |
| Silene Shafra. Catch-fly | .80 | 7.00 |
| Silphium perfoliatum. Compass Plant | 1.00 | 7.00 |
| Spiraea aruncus. (See <i>Aruncus astilboides</i> .) | | |
| Spiraea filipendula pl., lobata (venusta). <i>Multiflora</i> | 1.00 | 7.00 |
| Spiraea palmata elegans, ulmaria pl. and aurea vgta. | .80 | 6.00 |
| Stachys lanata. Dusty Miller | 1.00 | 7.00 |
| Statice latifolia. Sea Lavender. | 1.20 | 8.00 |
| Statice Gmelinii | 1.50 | |
| Stockesia cyanea. Stoke's Aster | 1.20 | |
| Thalictrum (Meadow Rue) aquilegifolium dioicum and minus | 1.20 | |
| Thermopsis mollis | 1.20 | 10.00 |
| Thymus vulgaris argenteus and coccineus | 1.20 | |
| Tiarella cordifolia. Foam Flower | 1.00 | 7.00 |
| Tradescantia (Spiderwort) Virginiana | 1.00 | 7.00 |
| Tradescantia Virg. pl. and alba | 1.20 | 8.00 |
| Trollius (Double Buttercup) Europeus | 1.40 | 10.00 |
| Trillium grf. Wake Robin | .70 | 5.00 |
| Tritoma. (See <i>Kniphofia</i> .) | | |
| Tunica saxifraga | 1.20 | |
| Uniola latifolia. Spike Grass | 1.20 | 8.00 |
| Valeriana officinalis. Garden Heliotrop | 1.00 | 6.00 |
| Verbascum nigrum. Mullen | 1.00 | |
| Verbascum Phœnicium | 1.30 | |

| | Prices for 10. | Prices for 100. |
|--|-------------------|--------------------|
| Vernonia Nova-Borascensis. Iron-weed | 1.00 | 7.00 |
| Veronica (Speedwell) amæthystina, cercæoides, officinalis, rupestris and spicata | 1.00 | 7.00 |
| Var.: <i>incana</i> . \$50.00 per M. | 1.00 | 7.00 |
| Var.: <i>spicata alba</i> and <i>longif. subsessilis</i> | 1.20 | 8.00 |
| Vinca minor (<i>Periwinkle</i>) and aurea <i>vgta.</i> | .80 | 4.00 |
| Viola cornuta, corn. alba and Perfection | 1.00 | 7.00 |
| Viola lutea <i>grfl.</i> | 1.00 | 7.00 |
| Yucca filamentosa. Adam's Needle and Thread | 1.20 | 8.00 |

ALPINE PLANTS.

These are best suited for the Rockery, although most of them will succeed equally well in the border.

| | |
|--|---|
| <i>Achillea argentea</i> , m. roseum, The Pearl, and tomentosa. | <i>Hieracium aurantiaem</i> . |
| <i>Adonis vernalis</i> | <i>Inula ensifolia</i> . |
| <i>Ajuga reptans</i> . | <i>Iris cristata</i> . |
| <i>Alyssum</i> in var. | <i>Jasione perenne</i> . |
| <i>Amorpha canescens</i> . | <i>Liatris spicata montana</i> and <i>elegans</i> . |
| <i>Anemona pulsatilla</i> and <i>Canadense</i> . | <i>Lespedeza juncea sericea</i> . |
| <i>Aquilegia Canadense</i> and <i>alpina</i> . | <i>Mertensia pulmonarioides</i> . |
| <i>Arabis albida</i> . | <i>Opuntia Rafenesqui</i> . |
| <i>Arenaria verna</i> and <i>caspitosa</i> . | <i>Pachysandra</i> . |
| <i>Armeria m. Lauchiana</i> . | <i>Papaver pilosum</i> . |
| <i>Artemisia</i> in var. | <i>Phlox amœna</i> and <i>subulata</i> in var. |
| <i>Aster alpinus</i> and <i>a. speciosa</i> , <i>specabilis</i> and <i>Herveyi</i> . | <i>Polemonium reptans</i> . |
| <i>Campanula Carpatica</i> and <i>c. alba</i> . | <i>Sanguinaria Canad.</i> |
| <i>Centaurea montana</i> and <i>nigra</i> vgt. | <i>Santolina incana</i> . |
| <i>Cerastium</i> in var., | <i>Saxifraga crassifolia</i> . |
| <i>Ceratostigma plumbag.</i> | <i>Scabiosa paposa</i> . |
| <i>Coronilla varia</i> and <i>scoparioides</i> . | <i>Scutellaria lupulina alpina</i> . |
| <i>Daphne cneorum</i> . | <i>Sedum</i> in var. |
| <i>Dianthus alpinus</i> , <i>deltoida</i> and <i>superba</i> . | <i>Seline Shafta</i> . |
| <i>Erysimum rupestre</i> . | <i>Stachys lanata</i> . |
| <i>Geum coccineum</i> . | <i>Trillium grfl.</i> |
| <i>Globularia trieosantha</i> . | <i>Tunica saxifraga</i> . |
| <i>Gypsophilla repens</i> . | <i>Veronica amoethystina</i> , <i>cercœoides</i> , <i>rupestris</i> and <i>incana</i> . |
| | <i>Vinca</i> in var. |
| | <i>Yucca filamentosa</i> . |

With White Flowers.

| | Height. | | Height. |
|------------------------------|---------|------------------------------|--------------|
| Achillea Mongolica, | 1 ft. | Galtonia candicans, | 5 ft. |
| Achillea, The Pearl, | 18 in. | Gypsophilla pan., | 3 ft. |
| Anemona Whirlwind, | 2 ft. | Gypsophilla Steveni, | 2 ft. |
| Anemona Canadensis, | 1 ft. | Gypsophilla repens, | 6 in. |
| Aquilegia nivea grfl., | 2 ft. | Hibiscus Calif., | 5 ft. |
| Arabis albida, | 6 in. | Hibiscus m. Crimson Eye, | 6 ft. |
| Arenaries, | 2 in. | Iberis semperflorens, | 1 ft. |
| Asperula odorata, | 6 in. | Iris pumila alba, | 1 ft. |
| Aster Lady Trevellyn, | 4 ft. | Lathyrus lat. albus, | 5 ft.—10 ft. |
| Aster Madonna, | 4 ft. | Lupinus poly. albus, | 3 ft. |
| Aster Novæ Angliæ alba, | 3 ft. | Lychnis Chale. alba, | 3 ft. |
| Aruncus astilboides, | 3 ft. | Lychnis alba pl., | 2 ft. |
| Astilbe Jap., | 18 in. | Lysimachia clethroides, | 2 ft. |
| Bocconia cordata (cream), | 8 ft. | Monarda didyma alba, | 2 ft. |
| Campanula Carp. alba, | 1 ft. | Oenothera speciosa (changing | |
| Campanula persicifolia alba, | 3 ft. | to pink), | 18 in. |
| Campanula nobilis (spotted | | Origanum creticum, | 1 ft. |
| chocolate), | 18 in. | Penstemon lavigatus, | 3 ft. |
| Cephalaria Tatarica (cream), | 5 ft. | Phlox subulata Nelsoni, | 3 in. |
| Cerastiums, | 6 in. | Polemonium coer. album, | 2 ft. |
| Chrysanthemum maximum, | 2 ft. | Polygonatum multif., | 3 ft. |
| Chrysanthemum uliginosum, | 4 ft. | Polygonum amplex. (cream), | 3 ft. |
| Cimicifuga, | 4 ft. | Scabiosa syl. albiflora, | 2 ft. |
| Clematis recta, | 3 ft. | Sedum maximum (and pink), | 2 ft. |
| Convallaria majalis, | 6 in. | Sidaleca candida, | 4 ft. |
| Delphinium grfl. alba, | 3 ft. | Spiræa filipendula pl., | 18 in. |
| Diantus deltoida alba, | 6 in. | Spiræa palmata elegans, | 3 ft. |
| Diantus New Mound, | 9 in. | Spiræa ulmaria pl., | 2 ft. |
| Eupatorium ageratoides, | 4 ft. | Spiræa ulmaria pl. aurea | |
| Eupatorium Fraserii, | 3 ft. | vgta , | 2 ft. |
| Euphorbia corollata, | 18 in. | Tiarella cordifolia, | 1 ft. |
| Funkia subcordata, | 2 ft. | Tradescantia V. alba, | 18 in. |
| Galega off. alba, | 3 ft. | Veronica spicata alba, | 18 in. |
| Galium boreale, | 3 ft. | Viola cornuta alba, | 6 in. |
| Galium sylvaticum, | 2 ft. | Yucca filamentoso, | 5 ft. |

With Blue Flowers.

| | Height. | | Height. |
|--|---------|---------------------------------------|---------|
| <i>Aconitum autumnale</i> , | 4 ft. | <i>Geranium Armenum</i> , | 4 ft. |
| <i>Aconitum Napellus</i> , | 3 ft. | <i>Geranium Endressi</i> , | 3 ft. |
| <i>Amsonia tabernæmontana</i> , | 3 ft. | <i>Globularia tricosantha</i> , | 6 in. |
| <i>Anemona pulsatilla</i> , | 1 ft. | <i>Iris Siberica</i> , | 3 ft. |
| <i>Anchusa Italica</i> , | 2 ft. | <i>Iris Siberica Orientale</i> . | 4 ft. |
| <i>Aster Chapmani</i> , | 4 ft. | <i>Iris pumila</i> , | 12 in. |
| <i>Aster longif. formosa</i> and <i>for-</i> | | <i>Iris cristata</i> (orange and yel- | |
| <i>mosissima</i> , | 4 ft. | low). | 6 in. |
| <i>Aster Maackii</i> , | 2 ft. | <i>Iris Cengialti</i> . | 9 in. |
| <i>Aster N.-B. Robert Parker</i> , | 5 ft. | <i>Jasione perenne</i> , | 12 in. |
| <i>Aster amœthystina</i> , | 3 ft. | <i>Lobelia syphelitica</i> , | 2 ft. |
| <i>Aster puniceus</i> and <i>compactus</i> , | 4 ft. | <i>Lupinus polyphyllus</i> , | 3 ft. |
| <i>Aster spectabilis</i> and <i>Herveyii</i> , | 2 ft. | <i>Lupinus perennis</i> , | 2 ft. |
| <i>Baptisia Australis</i> , | 2 ft. | <i>Lupinus Nootkatensis</i> (red and | |
| <i>Boltonia asteroides</i> , | 5 ft. | yellow). | 4 ft. |
| <i>Campanula Carpatica</i> , | 9 in. | <i>Mertensia pulmonarioides</i> , | 1 ft. |
| <i>Campanula latifolia</i> , | 3 ft. | <i>Myosotis dissitiflora</i> , | 6 in. |
| <i>Campanula persicifolia</i> grfl., | 3 ft. | <i>Myosotis palust. semper-</i> | |
| <i>Campanula rotundifolia</i> , | 1 ft. | <i>florens</i> , | 9 in. |
| <i>Campanula van Houttei</i> , | 2 ft. | <i>Penstemon ovatus</i> , | 2 ft. |
| <i>Catananche cœrulea</i> , | 2 ft. | <i>Phlox divaricata</i> (lilac) | 6 in. |
| <i>Ceratostigma plumb.</i> , | 18 in. | <i>Platycodon grfl.</i> , | 3 ft. |
| <i>Clematis Davidiana</i> , | 2 ft. | <i>Platycodón grfl. Mariesi</i> , | 18 in. |
| <i>Delphinium hybridum</i> , | 5 ft. | <i>Polemonium cœruleum</i> , | 2 ft. |
| <i>Delphinium formosum</i> , | 4 ft. | <i>Polemonium reptans</i> , | 9 in. |
| <i>Delphinium grandiflorum</i> | | <i>Polemonium reptans Hima-</i> | |
| (<i>Sinensis</i>) | 3 ft. | <i>layanum</i> , | 2 ft. |
| <i>Dracocephalum Ruyschianum</i> , | 2 ft. | <i>Ruellia ciliosa</i> (lilac), | 1 ft. |
| <i>Echinops ritro</i> , | 3 ft. | <i>Salvia azurea</i> grfl, | 4 ft. |
| <i>Erigeron speciosa</i> , | 2 ft. | <i>Salvia pratense</i> , | 2 ft. |
| <i>Erigeron macrantha</i> , | 6 in. | <i>Statice latifolia</i> . | 2 ft. |
| <i>Eryngium amethyst.</i> , | 3 ft. | <i>Statice Gmelenii</i> , | 1 ft. |
| <i>Eupatorium cælestinum</i> , | 18 in. | <i>Scabiosa Caucasica</i> , | 2 ft. |
| <i>Gentiana Andrewsii</i> , | 18 in. | <i>Scabiosa paposa</i> , | 18 in. |
| <i>Geranium collinum</i> , | 2 ft. | <i>Stockesia cyanea</i> , | 2 ft. |
| <i>Geranium Ibericum</i> , | 2 ft. | <i>Tradescantia Virg. and pl.</i> , | 2 ft. |

WITH BLUE FLOWERS—Continued.

| | Height. | | Height. |
|-----------------------------------|---------|-----------------------------|---------|
| Veronica amethyst. and incana, | 1 ft. | Veronica officinalis, | 18 in. |
| Veronica rupestris and ceræoides, | 6 in. | Veronica spicata, | 3 ft. |
| Veronica longif. subsessilis, | 2 ft. | Viola cornuta Perfection, | 6 in. |
| | | Vinca minor and aurea vgt., | 6 in. |

With Red Flowers.

| | Height. | | Height. |
|-------------------------------|---------|--------------------------------|--------------|
| Achillea m. rubra, | 1 ft. | Geum atropurpureum pl., | 2 ft. |
| Althæa rosea (selected), | 6 ft. | Geranium sanguineum, | 18 in. |
| Aster N. A. rosea, | 6 ft. | Helenium striatum (and orange) | 4 ft. |
| Armeria Laueheana, | 6 in. | Heuchera sanguinea (scarlet), | 18 in. |
| Callirhoe involucrata, | 1 ft. | Lathyrus latifolius, | 5 ft.—10 ft. |
| Cedronella cana, | 2 ft. | Lobelia cardinalis, | 3 ft. |
| Centaurea m. rosea, | 2 ft. | Lychnis Chalcedonica, | 3 ft. |
| Chelone Lyonii, | 2 ft. | Lychnis dioica pl. (diurna | |
| Dianthus alpinus, | 4 in. | pl.), | 2 ft. |
| Dianthus latifolia, | 9 in. | Lychnis viscaria pl., | 18 in. |
| Dianthus plumarius, | 1 ft. | Lychnis coronaria bicolor, | 2 ft. |
| Dianthus barbatus (selected), | 18 in. | Lythrum s. superba, | 6 ft. |
| Dicentra spectabilis, | 3 ft. | Monarda didyma, | 2 ft. |
| Dodecatheon meadia, | 1 ft. | Penstemon Torreyii, | 4 ft. |
| Geum coccineum (scarlet), | 2 ft. | Silene Shafta, | 6 in. |

With Pink Flowers.

| | Height. | | Height. |
|--------------------------------|---------|-------------------------------|---------|
| Anemona Japonica, | 2 ft. | Dicentra eximia, | 1 ft. |
| Armeria latifolia, | 18 in. | Dicentra eximia multipinnata, | 18 in. |
| Aster patens, | 2 ft. | Erigeron purpureum, | 1 ft. |
| Astilbe Chinensis, | 2 ft. | Gillenia stipulacea, | 3 ft. |
| Boltonia latisquama, | 5 ft. | Gypsophilla acontifolia (and | |
| Centaurea dealbata, | 18 in. | white), | 5 ft. |
| Coronilla varia, | 2 ft. | Helonias bullata, | 18 in. |
| Daphne cneorum, | 1 ft. | Hibiscus militaris, | 6 ft. |
| Dianthus superbus (and lilac), | 1 ft. | Hibiscus mos. roseus, | 4 ft. |

WITH PINK FLOWERS—Continued.

| | Height. | | Height. |
|-------------------------------------|---------|---|---------|
| <i>Iberis Gibraltarica</i> , | 1 ft. | <i>Phlox sub. compacta</i> , | 6 in. |
| <i>Lychnis Flos-Jovis</i> , | 1 ft. | <i>Physostegia dentie.</i> | 3 ft. |
| <i>Lychnis Flos-cuculi</i> pl.sem., | 18 in. | <i>Physostegia Virginiana</i> , | 2 ft. |
| <i>Malva alcea</i> , | 4 ft. | <i>Saxifraga crassifolia</i> , | 18 in. |
| <i>Mertensia pulmon.</i> , | 1 ft. | <i>Scabiosa sylvatica</i> , | 2 ft. |
| <i>Monarda fistulosa</i> , | 3 ft. | <i>Sedum Ewersii</i> , | 6 in. |
| <i>Monarda mollis</i> | 2 ft. | <i>Sedum stolonifera</i> , | 9 in. |
| <i>Morina longifolia</i> , | 2 ft. | <i>Sedum Braunii</i> , | 1 ft. |
| <i>Oxalis violacea</i> , | 3 in. | <i>Sedum Sieboldii</i> , | 6 in. |
| <i>Penstemon confertus</i> (and | | <i>Sedum spectabilis</i> , | 18 in. |
| <i>lilac</i>), | 18 in. | <i>Spiræa lobata</i> , | 4 ft. |
| <i>Phlox amæna</i> , | 6 in. | <i>Tunica saxifraga</i> . | 6 in. |
| <i>Phlox ovata</i> , | 1 ft. | <i>Valeriana off.</i> (and <i>lavendar</i>), | 6 ft. |

With Yellow Flowers.

| | Height. | | Height. |
|--|---------|--|--------------|
| <i>Achillea Œgyptica</i> , | 1 ft. | <i>Helenium Bolanderi</i> , | 3 ft. |
| <i>Achillea filipendulina</i> , | 1 ft. | <i>Helenium pumilum</i> , | 18 in. |
| <i>Achillea tomentosa</i> . | 6 in. | <i>Helianthus in var.</i> , | 3 ft.-10 ft. |
| <i>Aconitum lycoctonum</i> , | 4 ft. | <i>Hemerocallis flava</i> . | 2 in. |
| <i>Adonis vernalis</i> | 1 ft. | <i>Hemerocallis aurante. major</i> , | 2 ft. |
| <i>Alyssum in var.</i> , | 9 in. | <i>Hemerocallis Thunbergi</i> , | 3 ft. |
| <i>Anthemis in var.</i> , | 2 ft. | <i>Hyssopus officinalis</i> . | |
| <i>Aquilegia chrysantha</i> , | 2 ft. | <i>Inula ensifolia</i> , | 6 in. |
| <i>Cassia Marilandica</i> , | 3 ft. | <i>Inula glandulosa</i> , | 2 ft. |
| <i>Centaurea Babylonica</i> , | 6 ft. | <i>Iris pumila aurea</i> , | 9 in. |
| <i>Centaurea macrocephala</i> , | 3 ft. | <i>Iris aurea</i> and <i>Bloudovii</i> , | 2 ft. |
| <i>Coreopsis delphinifolia</i> , | 4 ft. | <i>Lepachys pinnata</i> , | 5 ft. |
| <i>Coreopsis grfl. and verticillata</i> , | 3 ft. | <i>Lysimachia nummularia</i> , | 3 in. |
| <i>Coreopsis lanceolata</i> and <i>trip-</i> | | <i>Opuntia Rafenesqui</i> , | 1 ft. |
| <i>teris</i> , | 2 ft. | <i>Oenothera glauca</i> . | 18 in. |
| <i>Cytisus capitatus</i> , | 2 ft. | <i>Oenothera fr. major</i> and | |
| <i>Digitalis ambigua</i> . | 3 ft. | <i>Youngii</i> , | 2 ft. |
| <i>Erysimum rupestre</i> , | 6 in. | <i>Oenothera macrocarpa</i> . | 1 ft. |
| <i>Helenium aut. superbum</i> , | 6 ft. | <i>Oenothera riparia</i> , | 1 ft. |

WITH YELLOW FLOWERS—Continued.

| | Height. | | Height. |
|------------------------------|-------------|-------------------------------|---------|
| <i>Ranunculus speciosa</i> , | 2 ft. | <i>Sedum telephioides</i> , | 1 ft. |
| <i>Rudbeckia</i> in var., | 3 ft.—8 ft. | <i>Silphium perfoliatum</i> , | 6 ft. |
| <i>Sedum acre</i> , | 3 in. | <i>Thermopsis mollis</i> , | 4 ft. |
| <i>Sedum Aizoon</i> , | 1 ft. | <i>Trollius Europeus</i> , | 2 ft. |
| <i>Sedum Maximowickzi</i> , | 18 in. | <i>Viola lutea</i> grfl., | 6 in. |

With Purple Flowers.

| | Height. | | Height. |
|---|---------|--------------------------------------|---------|
| <i>Aconitum uncinatum</i> , | 6 ft. | <i>Funkia</i> in var. except subcor- | |
| <i>Ajuga reptans</i> , | 6 in. | data. | |
| <i>Amorpha canescens</i> . | 3 ft. | <i>Galega officinalis</i> (rosy), | 3 ft. |
| <i>Aselepias incarnata</i> (reddish), | 3 ft. | <i>Lespedeza Sieboldi</i> , | 5 ft. |
| <i>Aster alpina</i> and <i>speciosa</i> . | 6 in. | <i>Lespedeza juncea sericea</i> , | 1 in. |
| <i>Aster Novæ-Angliæ</i> , | 6 ft. | <i>Liatris elegans</i> , | 2 ft. |
| <i>Calimeris incisa</i> , | 1 ft. | <i>Liatris pycnostachya</i> , | 5 ft. |
| <i>Campanula Trachelium</i> , | 3 ft. | <i>Liatris spicata montana</i> , | 2 ft. |
| <i>Campanula glomerata</i> Dahur- | | <i>Origanum vulgare</i> , | 18 in. |
| ica, | 18 in. | <i>Penstemon diffusus</i> , | 18 in. |
| <i>Centaurea montana</i> , | 2 ft. | <i>Penstemon grandiflora</i> , | 2 ft. |
| <i>Centaurea nigra</i> and <i>vgta.</i> , | 3 ft. | <i>Phlox subulata</i> , | 6 in. |
| <i>Dictamnus alba ruber</i> , | 2 ft. | <i>Stachys lanata</i> , | 2 ft. |
| <i>Echinacea purpurea</i> , | 4 ft. | <i>Vernonia N. Borascensis</i> , | 5 ft. |

With Orange Flowers.

| | Height. | | Height. |
|-----------------------------------|---------|--------------------------------|---------|
| <i>Asclepias tuberosus</i> , | 2 ft. | <i>Hemerocallis Kwanso</i> , | 3 ft. |
| <i>Gaillardia Kelwayii</i> , | 2 ft. | <i>Hieracium aurantiacum</i> , | 1 ft. |
| <i>Helenium Hoopesii</i> , | 4 ft. | <i>Kniphofia aloides</i> , | 5 ft. |
| <i>Heliopsis Pitcheriana</i> , | 3 ft. | <i>Papaver pilosum</i> , | 18 in. |
| <i>Hemerocallis Dumortierii</i> , | 18 in. | <i>Trollius Asiaticus</i> , | 18 in. |

With Variegated or Evergreen Foliage.

| | Height. | | Height. |
|--|---------|--|-------------|
| <i>Acorus calamus</i> vgta. (striped and white), | 2 ft. | <i>Heuchera sanguinea</i> , | 6 in. |
| <i>Amorpha canescens</i> (silvery), | 2 ft. | <i>Hydrophyllum</i> Canad., | 1 ft. |
| <i>Arenaria</i> in var., | 1 in. | <i>Iberis semp.</i> and <i>Gibraltarica</i> , | 1 ft. |
| <i>Artemesia abrotanum</i> (finely cut, aromatic), | 3 ft. | <i>Iris pumila</i> in var., | 6 in. |
| <i>Artemesia absinthium</i> (gray, aromatic), | 3 ft. | <i>Lysimachia nummularia</i> , | 3 in. |
| <i>Artemesia stellariana</i> (wooley, white), | 1 ft. | <i>Miscanthus</i> in var., | 7 ft. |
| <i>Artemesia pontica</i> (finely cut, gray), | 18 in. | <i>Morina longifolia</i> , | 2 ft. |
| <i>Asarum Canadensis</i> (green broad), | 9 in. | <i>Opuntia Rafenesqui</i> . | 1 ft. |
| <i>Bocconia cordata</i> , | 8 ft. | <i>Pachysandra terminalis</i> and vgta., | 9 in. |
| <i>Centaurea nigra</i> vgta. (gold and green), | 9 in. | <i>Phalaris arund.</i> vgta. (striped green and gold), | 2 ft. |
| <i>Cerastium tomentosum</i> (white), | 6 in. | <i>Phlox subulata</i> in var., | 3 in.-6 in. |
| <i>Daphne cneorum</i> , | 1 ft. | <i>Santolina incana</i> (gray), | 18 in. |
| <i>Dicentra eximia</i> and multi-pinnata (fernlike), | 1 ft. | <i>Saxifraga crassifolia</i> (green and bronze), | 9 in. |
| <i>Echinops</i> in var. (gray and blue), | 6 ft. | <i>Sedum</i> in var. | |
| <i>Erianthus Ravenneæ</i> (Plumy grass), | 8 ft. | <i>Spiræa filipendula</i> pl., | 6 in. |
| <i>Eryngium amœthystinum</i> (blue), | 3 ft. | <i>Spiræa ulmaria aurea</i> vgta. (golden), | 6 in. |
| <i>Funkia</i> in var. (large green), | 18 in. | <i>Stachys lanata</i> (wooley white), | 1 ft. |
| <i>Funkia ovata</i> Th. Hogg (green and white), | 9 in. | <i>Thalictrum</i> in var. | |
| | | <i>Uniola latifolia</i> , | 4 ft. |
| | | <i>Veronica rupestris</i> and <i>cer-cœoides</i> , | 3 in. |
| | | <i>Veronica incana</i> (silvery white) | 6 in. |
| | | <i>Vinca minor</i> , | 6 in. |
| | | <i>Vinca minor aurea</i> vgta. (yellow and green), | 6 in. |
| | | <i>Yucca filamentosa</i> , | 2 ft. |

SPRING FLOWERING. (April and May.)

| | |
|---|---|
| <i>Adonis vernalis</i> . | <i>Phlox subulata</i> in var., <i>amoena</i> and <i>divaricata</i> . |
| <i>Ajuga reptans</i> . | <i>Polemonium reptans</i> . |
| <i>Arabis albida</i> . | <i>Primula officinalis</i> . |
| <i>Daphne eneorum</i> . | <i>Sanguinaria Canadensis</i> . |
| <i>Dodecatheon meadia</i> . | <i>Saxifraga crassifolia</i> . |
| <i>Erysimum rupestre</i> . | <i>Thalietrum</i> in var. |
| <i>Helonias bullata</i> . | <i>Tiarella cordifolia</i> . |
| <i>Hepatica</i> in var. | <i>Trillium</i> grfl. |
| <i>Iberis senpervirens</i> . | <i>Veronica cercœoides</i> , <i>rupestris</i> and <i>amoethystina</i> . |
| <i>Iris cristata</i> , <i>Ciengalti</i> and <i>pumila</i> in var. | <i>Viola corunta alba</i> and <i>Perfection</i> and <i>lutea</i> grfl. |
| <i>Mertensia pulmonarioides</i> . | |
| <i>Myosotis dissitifolia</i> . | |

LATE FALL FLOWERING. (September to hard frost.)

| | |
|---|---|
| <i>Achillea Egyptica</i> and <i>filipendulina</i> . | <i>Gaillardia</i> . |
| <i>Aconitum autumnale</i> and <i>Napeltus</i> . | <i>Gentiana Andrewsii</i> . |
| <i>Amorpha canescens</i> . | <i>Helenium aut. superbum</i> . |
| <i>Anemona Jap</i> and var. | <i>Helenium pumilum striatum</i> . |
| <i>Aster Nova-Anglia</i> and var., <i>Nova-Belgii</i> and var. | <i>Helianthus orgyalis</i> and <i>Maximiliani</i> . |
| <i>Aster amoethystinum</i> , <i>Townshendii</i> , <i>puniceus</i> , <i>turbinellus</i> , <i>bicolor</i> and <i>versicolor</i> . | <i>Inula ensifolia</i> and <i>Hoopesii</i> . |
| <i>Boltonia</i> in var. | <i>Kniphofia</i> . |
| <i>Ceratostigma plumbagioides</i> . | <i>Lathyrus lat.</i> and <i>alba</i> . |
| <i>Chelone Lyonii</i> . <i>Chrysanthemum</i> (pompons). | <i>Lespedeza Sieboldi</i> . |
| <i>Conoclinium coelestinum</i> . | <i>Malva aleca</i> . |
| <i>Daphne cneorum</i> . | <i>Phlox Miss Lingard</i> . |
| <i>Eupatorium ageratoides</i> and <i>Fraseri</i> . | <i>Sedum spectabilis</i> , <i>maximum</i> , <i>Brauni</i> , <i>Ewersi</i> and <i>Sieboldi</i> . |
| <i>Funkia subcordata</i> . | <i>Stockesia cyanea</i> , |
| | <i>Trollius Europeus</i> and <i>Asiaticus</i> . |
| | <i>Veronica long.</i> <i>subsessilis</i> . |

OFFICE OF
THE BILTMORE NURSERY.

BILTMORE, N. C., April 26, 1901.

Mr. Julius Heurlin,

South Braintree, Mass.

Dear Sir:—We thank you for your letter of April 23d noting the sending of certain plants to replace those received in bad condition or not received at all. I take pleasure in approving your invoice of April 6th and presenting same to our head office for payment. With renewed thanks for your favor and the courteous manner in which you have dealt with us, I am

Truly yours,

BILTMORE NURSERY.

NEWPORT HORTICULTURAL SOCIETY.
SECRETARY'S OFFICE.

NEWPORT, R. I., July 9, 1901.

BLUE HILL NURSERY,

Gentlemen:—Your exhibit of Herbaceous Plants, exhibited at our show on July 2d and 3d, were awarded a silver medal for excellence.

I may say they were admired by all the visitors, and the judges were sorry they could not award them more, silver Medal being the highest award offered.

Yours truly,

T. FIELDHOUSE, Rec. Sec.

Another superb collection of hard herbaceous flowers was shown by the Blue Hill Nursery, to which exhibitor every first prize for perennials has been awarded this season.

American Florist, Sept. 22, 1900.

MR. J. HEURLIN,

Dear Sir:—All plants you sent us the other day arrived in splendid condition. I wish to thank you for sending such good specimens. Please send me, etc.

Yours truly,

R. C. AMES.
(Mrs. F. L. Ames.)

North Easton, Nov. 11, 1901.

BRAINTREE, MASS., Nov. 17, 1901.

MR. JULIUS HEURLIN,

Dear Sir:—The herbaceous plants received from you were all in prime condition and very satisfactory. Also the shrubs were of extra good quality and really beyond expectation.

Very truly yours,

CARL J. SANTHESON.

Gardener to Alden A. Thorndike, Esq.

TAUNTON, MASS., Oct. 5, 1901.

MR. JULIUS HEURLIN,

SOUTH BRAINTREE, MASS.

Dear Sir:—Both cases of plants just arrived in perfect condition. Plants were exceptionally large and fine.

Very truly yours,

E. POWELL.

Gardener to W. J. Clemson, Esq.







GEO. W. PRESCOTT & SONS,
PRINTERS.

